

Item Catalogue

NUPCO CODE: 4232150628200 | SN: 334

NUPCO ITEM DESCRIPTION

SCREW, CANNULATED PARTIAL THREADED SELF DRILLING 2MM TO 2.5MM STAINLESS STEEL ASSORTED TYPES AND LENGTHS AS REQUESTED BY END USER

VENDOR PRODUCT DESCRIPTION

OsteoMed ExtremiFix Mini headed cannulated screws, 2.0 mm and 2.4 mm

SKU CODES INCLUDED FOR THIS NUPCO CODE

- 318-2006
- 318-2008
- 318-2010
- 318-2012
- 318-2014
- 318-2016
- 318-2018
- 318-2020
- 318-2022
- 318-2024
- 318-2026
- 318-2028
- 318-2030
- 318-2032
- 318-2034
- 318-2036
- 318-2038
- 318-2040
- 318-2042
- 318-2406
- 318-2408
- 318-2410
- 318-2412
- 318-2414
- 318-2416
- 318-2418
- 318-2420
- 318-2422
- 318-2424
- 318-2426
- 318-2428
- 318-2430
- 318-2432
- 318-2434
- 318-2436
- 318-2438
- 318-2440
- 318-2442
- 318-2444
- 318-2446
- 318-2448
- 318-2450

Instrument Overview [continued]

2.0/2.4 mm Mini Instruments



**Ø1.7 mm Cannulated Drill,
Short, Quick Release**
(316-0513)



**Ø1.7 mm Cannulated Drill,
Long, Quick Release**
(316-0514)



**Ø2.0/2.4 mm Cannulated
Countersink, Quick Release**
(316-0511)



**Ø2.0/2.4 mm Proximal Cortex
Drill, Quick Release**
(316-0516)



**Ø1.7 mm Drill/Countersink
Combo, Short, Quick Release**
(316-0527)



**Ø1.7 mm Drill/Countersink
Combo, Long, Quick Release**
(316-0528)



**Ø2.0/2.4 mm T7 Driver,
Cannulated, Short,
Quick Release**
(316-0544)




**Ø2.0/2.4 mm T7 Driver,
Cannulated, Long,
Quick Release**
(316-0545)


Surgical Technique Overview

Cannulated Screw Surgical Technique

Reduction and
Provisional Fixation



Insert K-wire



Measure
Screw Length



Ordering Information [continued]

Tray Components — 2.0 mm Screw Module

1	Ø2.0 mm Screw & Instrument Module, ExtremiFix Mini	316-1520	2	Ø1.7 mm Cannulated Drill, Short, Quick Release	316-0513
3	Ø1.7 mm Cannulated Drill, Long, Quick Release	316-0514	4	Ø2.0/2.4 mm Cannulated Countersink, Quick Release	316-0511
5	Ø2.0/2.4 mm Proximal Cortex Drill, Quick Release	316-0516	6	Ø1.7 mm Drill/Countersink Combo, Short, Quick Release	316-0527
7	Ø1.7 mm Drill/Countersink Combo, Long, Quick Release	316-0528	8	Ø2.0/2.4 mm T7 Driver, Cannulated, Short, Quick Release	316-0544
9	Ø2.0/2.4 mm T7 Driver, Cannulated, Long, Quick Release	316-0545			

Tray Components — 2.0 mm Screw Module

10	Ø2.0 mm Screw & Instrument Module, ExtremiFix Mini	316-1520	11	Cannulated Depth Gauge, Double sided 4"/6"	316-0036
12	Ø.035 x 6" K-wire	316-0106	13	Ø.035 x 6" Double Trocar K-wire	316-0117
14	Ø.035 x 4" K-wire	316-0107	15	Ø.035 x 4" Double Trocar K-wire	316-0119
16	Ø.035 x 4" Partially Threaded K-wire	316-0114	17	Ø2.0 mm Washer	316-0125

Tray Components — 2.0 mm Screw Module

18	2.0 mm Headed Cannulated Screws	19	2.0 mm Headless Cannulated Screws
	2.0 x 6 mm Cannulated Headed Screw 318-2006		2.0 x 10 mm Cannulated Headless Screw 315-2010
	2.0 x 8 mm Cannulated Headed Screw 318-2008		2.0 x 12 mm Cannulated Headless Screw 315-2012
	2.0 x 10 mm Cannulated Headed Screw 318-2010		2.0 x 14 mm Cannulated Headless Screw 315-2014
	2.0 x 12 mm Cannulated Headed Screw 318-2012		2.0 x 16 mm Cannulated Headless Screw 315-2016
	2.0 x 14 mm Cannulated Headed Screw 318-2014		2.0 x 18 mm Cannulated Headless Screw 315-2018
	2.0 x 16 mm Cannulated Headed Screw 318-2016		2.0 x 20 mm Cannulated Headless Screw 315-2020
	2.0 x 18 mm Cannulated Headed Screw 318-2018		2.0 x 22 mm Cannulated Headless Screw 315-2022
	2.0 x 20 mm Cannulated Headed Screw 318-2020		2.0 x 24 mm Cannulated Headless Screw 315-2024
	2.0 x 22 mm Cannulated Headed Screw 318-2022		2.0 x 26 mm Cannulated Headless Screw 315-2026
	2.0 x 24 mm Cannulated Headed Screw 318-2024		2.0 x 28 mm Cannulated Headless Screw 315-2028
	2.0 x 26 mm Cannulated Headed Screw 318-2026		2.0 x 30 mm Cannulated Headless Screw 315-2030
	2.0 x 28 mm Cannulated Headed Screw 318-2028		2.0 x 32 mm Cannulated Headless Screw 315-2032
	2.0 x 30 mm Cannulated Headed Screw 318-2030		2.0 x 34 mm Cannulated Headless Screw 315-2034
	2.0 x 32 mm Cannulated Headed Screw 318-2032		2.0 x 36 mm Cannulated Headless Screw 315-2036
	2.0 x 34 mm Cannulated Headed Screw 318-2034		2.0 x 38 mm Cannulated Headless Screw 315-2038
	2.0 x 36 mm Cannulated Headed Screw 318-2036		2.0 x 40 mm Cannulated Headless Screw 315-2040
	2.0 x 38 mm Cannulated Headed Screw 318-2038		2.0 x 42 mm Cannulated Headless Screw 315-2042
	2.0 x 40 mm Cannulated Headed Screw 318-2040		
	2.0 x 42 mm Cannulated Headed Screw 318-2042		

Ordering Information [continued]

Tray Components — 2.4 mm Screw Module

1	Ø2.4 mm Screw & Instrument Module, ExtremiFix Mini	316-1524	See previous spread for instrument callouts
----------	--	----------	--

Tray Components — 2.4 mm Screw Module

10	Ø2.4 mm Screw & Instrument Module, ExtremiFix Mini	316-1524	11	Cannulated Depth Gauge, Double sided 4"/6"	316-0036
12	Ø.035 x 6" K-wire	316-0106	13	Ø.035 x 6" Double Trocar K-wire	316-0117
14	Ø.035 x 4" K-wire	316-0107	15	Ø.035 x 4" Double Trocar K-wire	316-0119
16	Ø.035 x 4" Partially Threaded K-wire	316-0114	17	Ø2.4 mm Washer	316-0126

Tray Components — 2.4 mm Screw Module

18 2.4 mm Headed Cannulated Screws

2.4 x 6 mm Cannulated Headed Screw	318-2406
2.4 x 8 mm Cannulated Headed Screw	318-2408
2.4 x 10 mm Cannulated Headed Screw	318-2410
2.4 x 12 mm Cannulated Headed Screw	318-2412
2.4 x 14 mm Cannulated Headed Screw	318-2414
2.4 x 16 mm Cannulated Headed Screw	318-2416
2.4 x 18 mm Cannulated Headed Screw	318-2418
2.4 x 20 mm Cannulated Headed Screw	318-2420
2.4 x 22 mm Cannulated Headed Screw	318-2422
2.4 x 24 mm Cannulated Headed Screw	318-2424
2.4 x 26 mm Cannulated Headed Screw	318-2426
2.4 x 28 mm Cannulated Headed Screw	318-2428
2.4 x 30 mm Cannulated Headed Screw	318-2430
2.4 x 32 mm Cannulated Headed Screw	318-2432
2.4 x 34 mm Cannulated Headed Screw	318-2434
2.4 x 36 mm Cannulated Headed Screw	318-2436
2.4 x 38 mm Cannulated Headed Screw	318-2438
2.4 x 40 mm Cannulated Headed Screw	318-2440
2.4 x 42 mm Cannulated Headed Screw	318-2442
2.4 x 44 mm Cannulated Headed Screw	318-2444
2.4 x 46 mm Cannulated Headed Screw	318-2446
2.4 x 48 mm Cannulated Headed Screw	318-2448
2.4 x 50 mm Cannulated Headed Screw	318-2450

19 2.4 mm Headless Cannulated Screws

2.4 x 10 mm Cannulated Headless Screw	315-2410
2.4 x 12 mm Cannulated Headless Screw	315-2412
2.4 x 14 mm Cannulated Headless Screw	315-2414
2.4 x 16 mm Cannulated Headless Screw	315-2416
2.4 x 18 mm Cannulated Headless Screw	315-2418
2.4 x 20 mm Cannulated Headless Screw	315-2420
2.4 x 22 mm Cannulated Headless Screw	315-2422
2.4 x 24 mm Cannulated Headless Screw	315-2424
2.4 x 26 mm Cannulated Headless Screw	315-2426
2.4 x 28 mm Cannulated Headless Screw	315-2428
2.4 x 30 mm Cannulated Headless Screw	315-2430
2.4 x 32 mm Cannulated Headless Screw	315-2432
2.4 x 34 mm Cannulated Headless Screw	315-2434
2.4 x 36 mm Cannulated Headless Screw	315-2436
2.4 x 38 mm Cannulated Headless Screw	315-2438
2.4 x 40 mm Cannulated Headless Screw	315-2440
2.4 x 42 mm Cannulated Headless Screw	315-2442
2.4 x 44 mm Cannulated Headless Screw	315-2444
2.4 x 46 mm Cannulated Headless Screw	315-2446
2.4 x 48 mm Cannulated Headless Screw	315-2448
2.4 x 50 mm Cannulated Headless Screw	315-2450