

# Item Catalogue

NUPCO CODE: 4232150027300 | SN: 824

NUPCO ITEM DESCRIPTION

SCREW, CORTICAL 3.5MM OR EQUIVALENT FOR LCP METAPHYSEAL MEDIAL DISTAL TIBIA, ASSORTED SIZES

VENDOR PRODUCT DESCRIPTION

The specified Ankle Plating System 3 catalogue does not list the requested cortical/locking/variable-angle screw SKU family; it references compatible screws and lists 4.0 mm cannulated screws only.

SKU CODES INCLUDED FOR THIS NUPCO CODE

- 3005-40014
- 3005-40016
- 3005-40018
- 3005-40020
- 3005-40022
- 3005-40024
- 3005-40026
- 3005-40028
- 3005-40030
- 3005-40032
- 3005-40034
- 3005-40036
- 3005-40038
- 3005-40040
- 3005-40042
- 3005-40044
- 3005-40046
- 3006-40016
- 3006-40018
- 3006-40020
- 3006-40022
- 3006-40024
- 3006-40026
- 3006-40028
- 3006-40030
- 3006-40032
- 3006-40034
- 3006-40036
- 3006-40038
- 3006-40040
- 3006-40042
- 3006-40044
- 3006-40046
- 3006-40048

 **acumed**<sup>®</sup>  
Ankle Plating System 3




Acumed Small Fragment  
Base Set Required



Acumed Variable Angle  
Screw Compatible

## Surgical Technique



## Ordering Information [continued]

### Tray Components

#### Implants

|    |                                                  |            |
|----|--------------------------------------------------|------------|
| 1  | Hook Plate 2-Hole                                | 7007-0602  |
| 2  | Hook Plate 3-Hole                                | 7007-0603  |
| 3  | Locking Peg Hook Plate 2-Hole                    | 7007-0702  |
| 4  | Locking Peg Hook Plate 3-Hole                    | 7007-0703  |
| 5  | 2.3 mm x 26 mm<br>Locking Cortical Peg           | 3014-23026 |
| 6  | 2.3 mm x 36 mm<br>Locking Cortical Peg           | 3014-23036 |
| 7  | 2.3 mm x 46 mm<br>Locking Cortical Peg           | 3014-23046 |
| 8  | 4.0 mm x 36 mm Cannulated<br>Screw, Long Thread  | 3006-40036 |
| 9  | 4.0 mm x 42 mm Cannulated<br>Screw, Long Thread  | 3006-40042 |
| 10 | 4.0 mm x 48 mm Cannulated<br>Screw, Long Thread  | 3006-40048 |
| 11 | Cannulated Screw Washer<br>7.0 mm OD x 3.6 mm ID | 7003-07036 |

#### Instruments

|    |                                             |         |
|----|---------------------------------------------|---------|
| 12 | Hook Plate Reduction Handle Assembly        | 80-2317 |
| 13 | 1.5 mm Hex Driver Assembly                  | 80-2335 |
| 14 | 2.0 mm Locking Drill Guide/2.3 mm<br>Screws | 80-2331 |
| 15 | Syndesmosis Targeting Guide Assembly        | 80-2325 |

#### 4.0 mm Cannulated Screw Instruments

|    |                                                |         |
|----|------------------------------------------------|---------|
| 16 | 1.3 mm Non-threaded Guide Wire,<br>150 mm      | 80-2039 |
| 17 | 2.5 mm Cannulated Hex Driver,<br>Quick Connect | 80-2073 |
| 18 | 2.7 mm Cannulated Drill, Quick Connect         | 80-2075 |
| 19 | 4.0/4.5 mm Screw Sizer                         | 80-2080 |

Reference the Acumed Small Fragment Base Set Surgical Technique (TMA10-01) for the list of implants, instruments, and screws included within that set.

## Ordering Information [continued]

### Tray Components

#### 1 4.0 mm Cannulated Screw Short Thread Caddy

|                                               |            |                                               |            |
|-----------------------------------------------|------------|-----------------------------------------------|------------|
| 4.0 mm x 14 mm Cannulated Screw, Short Thread | 3005-40014 | 4.0 mm x 40 mm Cannulated Screw, Short Thread | 3005-40040 |
| 4.0 mm x 16 mm Cannulated Screw, Short Thread | 3005-40016 | 4.0 mm x 42 mm Cannulated Screw, Short Thread | 3005-40042 |
| 4.0 mm x 18 mm Cannulated Screw, Short Thread | 3005-40018 | 4.0 mm x 44 mm Cannulated Screw, Short Thread | 3005-40044 |
| 4.0 mm x 20 mm Cannulated Screw, Short Thread | 3005-40020 | 4.0 mm x 46 mm Cannulated Screw, Short Thread | 3005-40046 |
| 4.0 mm x 22 mm Cannulated Screw, Short Thread | 3005-40022 | 4.0 mm x 48 mm Cannulated Screw, Short Thread | 3005-40048 |
| 4.0 mm x 24 mm Cannulated Screw, Short Thread | 3005-40024 | 4.0 mm x 50 mm Cannulated Screw, Short Thread | 3005-40050 |
| 4.0 mm x 26 mm Cannulated Screw, Short Thread | 3005-40026 | 4.0 mm x 52 mm Cannulated Screw, Short Thread | 3005-40052 |
| 4.0 mm x 28 mm Cannulated Screw, Short Thread | 3005-40028 | 4.0 mm x 54 mm Cannulated Screw, Short Thread | 3005-40054 |
| 4.0 mm x 30 mm Cannulated Screw, Short Thread | 3005-40030 | 4.0 mm x 56 mm Cannulated Screw, Short Thread | 3005-40056 |
| 4.0 mm x 32 mm Cannulated Screw, Short Thread | 3005-40032 | 4.0 mm x 58 mm Cannulated Screw, Short Thread | 3005-40058 |
| 4.0 mm x 34 mm Cannulated Screw, Short Thread | 3005-40034 | 4.0 mm x 60 mm Cannulated Screw, Short Thread | 3005-40060 |
| 4.0 mm x 36 mm Cannulated Screw, Short Thread | 3005-40036 | 4.0 mm x 64 mm Cannulated Screw, Short Thread | 3005-40064 |
| 4.0 mm x 38 mm Cannulated Screw, Short Thread | 3005-40038 | 4.0 mm x 68 mm Cannulated Screw, Short Thread | 3005-40068 |
|                                               |            | 4.0 mm x 72 mm Cannulated Screw, Short Thread | 3005-40072 |

## Ordering Information [continued]

### Tray Components

#### 2 4.0 mm Cannulated Screw Long Thread Caddy


|                                              |            |                                              |            |
|----------------------------------------------|------------|----------------------------------------------|------------|
| 4.0 mm x 16 mm Cannulated Screw, Long Thread | 3006-40016 | 4.0 mm x 42 mm Cannulated Screw, Long Thread | 3006-40042 |
| 4.0 mm x 18 mm Cannulated Screw, Long Thread | 3006-40018 | 4.0 mm x 44 mm Cannulated Screw, Long Thread | 3006-40044 |
| 4.0 mm x 20 mm Cannulated Screw, Long Thread | 3006-40020 | 4.0 mm x 46 mm Cannulated Screw, Long Thread | 3006-40046 |
| 4.0 mm x 22 mm Cannulated Screw, Long Thread | 3006-40022 | 4.0 mm x 48 mm Cannulated Screw, Long Thread | 3006-40048 |
| 4.0 mm x 24 mm Cannulated Screw, Long Thread | 3006-40024 | 4.0 mm x 50 mm Cannulated Screw, Long Thread | 3006-40050 |
| 4.0 mm x 26 mm Cannulated Screw, Long Thread | 3006-40026 | 4.0 mm x 52 mm Cannulated Screw, Long Thread | 3006-40052 |
| 4.0 mm x 28 mm Cannulated Screw, Long Thread | 3006-40028 | 4.0 mm x 54 mm Cannulated Screw, Long Thread | 3006-40054 |
| 4.0 mm x 30 mm Cannulated Screw, Long Thread | 3006-40030 | 4.0 mm x 56 mm Cannulated Screw, Long Thread | 3006-40056 |
| 4.0 mm x 32 mm Cannulated Screw, Long Thread | 3006-40032 | 4.0 mm x 58 mm Cannulated Screw, Long Thread | 3006-40058 |
| 4.0 mm x 34 mm Cannulated Screw, Long Thread | 3006-40034 | 4.0 mm x 60 mm Cannulated Screw, Long Thread | 3006-40060 |
| 4.0 mm x 36 mm Cannulated Screw, Long Thread | 3006-40036 | 4.0 mm x 64 mm Cannulated Screw, Long Thread | 3006-40064 |
| 4.0 mm x 38 mm Cannulated Screw, Long Thread | 3006-40038 | 4.0 mm x 68 mm Cannulated Screw, Long Thread | 3006-40068 |
| 4.0 mm x 40 mm Cannulated Screw, Long Thread | 3006-40040 | 4.0 mm x 72 mm Cannulated Screw, Long Thread | 3006-40072 |

#### 3 4.0 mm Washer

|                                                  |            |
|--------------------------------------------------|------------|
| Cannulated Screw Washer<br>7.0 mm OD x 3.6 mm ID | 7003-07036 |
|--------------------------------------------------|------------|

 **acumed**<sup>®</sup>  
4.0 mm Cannulated Screw System

## Surgical Technique



## Ordering Information [continued]

### 4.0 mm Cannulated Screws

#### 4.0 mm Cannulated Screw—Short Thread

|          |                                                     |            |                                               |            |
|----------|-----------------------------------------------------|------------|-----------------------------------------------|------------|
| <b>1</b> | 4.0 mm Cannulated Screw Short Thread Caddy Assembly | 80-3767    | 4.0 mm x 40 mm Cannulated Screw, Short Thread | 3005-40040 |
|          | 4.0 mm x 10 mm Cannulated Screw, Short Thread       | 3005-40010 | 4.0 mm x 42 mm Cannulated Screw, Short Thread | 3005-40042 |
|          | 4.0 mm x 12 mm Cannulated Screw, Short Thread       | 3005-40012 | 4.0 mm x 44 mm Cannulated Screw, Short Thread | 3005-40044 |
|          | 4.0 mm x 14 mm Cannulated Screw, Short Thread       | 3005-40014 | 4.0 mm x 46 mm Cannulated Screw, Short Thread | 3005-40046 |
|          | 4.0 mm x 16 mm Cannulated Screw, Short Thread       | 3005-40016 | 4.0 mm x 48 mm Cannulated Screw, Short Thread | 3005-40048 |
|          | 4.0 mm x 18 mm Cannulated Screw, Short Thread       | 3005-40018 | 4.0 mm x 50 mm Cannulated Screw, Short Thread | 3005-40050 |
|          | 4.0 mm x 20 mm Cannulated Screw, Short Thread       | 3005-40020 | 4.0 mm x 52 mm Cannulated Screw, Short Thread | 3005-40052 |
|          | 4.0 mm x 22 mm Cannulated Screw, Short Thread       | 3005-40022 | 4.0 mm x 54 mm Cannulated Screw, Short Thread | 3005-40054 |
|          | 4.0 mm x 24 mm Cannulated Screw, Short Thread       | 3005-40024 | 4.0 mm x 56 mm Cannulated Screw, Short Thread | 3005-40056 |
|          | 4.0 mm x 26 mm Cannulated Screw, Short Thread       | 3005-40026 | 4.0 mm x 58 mm Cannulated Screw, Short Thread | 3005-40058 |
|          | 4.0 mm x 28 mm Cannulated Screw, Short Thread       | 3005-40028 | 4.0 mm x 60 mm Cannulated Screw, Short Thread | 3005-40060 |
|          | 4.0 mm x 30 mm Cannulated Screw, Short Thread       | 3005-40030 | 4.0 mm x 64 mm Cannulated Screw, Short Thread | 3005-40064 |
|          | 4.0 mm x 32 mm Cannulated Screw, Short Thread       | 3005-40032 | 4.0 mm x 68 mm Cannulated Screw, Short Thread | 3005-40068 |
|          | 4.0 mm x 34 mm Cannulated Screw, Short Thread       | 3005-40034 | 4.0 mm x 72 mm Cannulated Screw, Short Thread | 3005-40072 |
|          | 4.0 mm x 36 mm Cannulated Screw, Short Thread       | 3005-40036 |                                               |            |
|          | 4.0 mm x 38 mm Cannulated Screw, Short Thread       | 3005-40038 |                                               |            |

## Ordering Information [continued]

### 4.0 mm Cannulated Screws

#### 4.0 mm Cannulated Screw—Long Thread

|                                              |                                                    |            |                                              |            |
|----------------------------------------------|----------------------------------------------------|------------|----------------------------------------------|------------|
| 2                                            | 4.0 mm Cannulated Screw Long Thread Caddy Assembly | 80-3768    | 4.0 mm x 42 mm Cannulated Screw, Long Thread | 3006-40042 |
|                                              | 4.0 mm x 16 mm Cannulated Screw, Long Thread       | 3006-40016 | 4.0 mm x 44 mm Cannulated Screw, Long Thread | 3006-40044 |
|                                              | 4.0 mm x 18 mm Cannulated Screw, Long Thread       | 3006-40018 | 4.0 mm x 46 mm Cannulated Screw, Long Thread | 3006-40046 |
|                                              | 4.0 mm x 20 mm Cannulated Screw, Long Thread       | 3006-40020 | 4.0 mm x 48 mm Cannulated Screw, Long Thread | 3006-40048 |
|                                              | 4.0 mm x 22 mm Cannulated Screw, Long Thread       | 3006-40022 | 4.0 mm x 50 mm Cannulated Screw, Long Thread | 3006-40050 |
|                                              | 4.0 mm x 24 mm Cannulated Screw, Long Thread       | 3006-40024 | 4.0 mm x 52 mm Cannulated Screw, Long Thread | 3006-40052 |
|                                              | 4.0 mm x 26 mm Cannulated Screw, Long Thread       | 3006-40026 | 4.0 mm x 54 mm Cannulated Screw, Long Thread | 3006-40054 |
|                                              | 4.0 mm x 28 mm Cannulated Screw, Long Thread       | 3006-40028 | 4.0 mm x 56 mm Cannulated Screw, Long Thread | 3006-40056 |
|                                              | 4.0 mm x 30 mm Cannulated Screw, Long Thread       | 3006-40030 | 4.0 mm x 58 mm Cannulated Screw, Long Thread | 3006-40058 |
|                                              | 4.0 mm x 32 mm Cannulated Screw, Long Thread       | 3006-40032 | 4.0 mm x 60 mm Cannulated Screw, Long Thread | 3006-40060 |
|                                              | 4.0 mm x 34 mm Cannulated Screw, Long Thread       | 3006-40034 | 4.0 mm x 64 mm Cannulated Screw, Long Thread | 3006-40064 |
|                                              | 4.0 mm x 36 mm Cannulated Screw, Long Thread       | 3006-40036 | 4.0 mm x 68 mm Cannulated Screw, Long Thread | 3006-40068 |
|                                              | 4.0 mm x 38 mm Cannulated Screw, Long Thread       | 3006-40038 | 4.0 mm x 72 mm Cannulated Screw, Long Thread | 3006-40072 |
| 4.0 mm x 40 mm Cannulated Screw, Long Thread | 3006-40040                                         | 3          | 4.0 mm Cannulated Screw Tray                 | 80-3695    |

### Optional

#### Implants

|                                               |            |
|-----------------------------------------------|------------|
| Cannulated Screw Washer 7.0 mm OD x 3.6 mm ID | 7003-07036 |
|-----------------------------------------------|------------|