

Item Catalogue

NUPCO CODE: 4232150029700 | SN: 826

NUPCO ITEM DESCRIPTION

SCREW, CORTICAL 4.5MM OR EQUIVALENT FOR LCP METAPHYSEAL MEDIAL DISTAL TIBIA, ASSORTED SIZES

VENDOR PRODUCT DESCRIPTION

The specified Ankle Plating System 3 catalogue does not list the requested cortical/locking/variable-angle screw SKU family; it references compatible screws and lists 4.0 mm cannulated screws only.

SKU CODES INCLUDED FOR THIS NUPCO CODE

- 3005-40014
- 3005-40016
- 3005-40018
- 3005-40020
- 3005-40022
- 3005-40024
- 3005-40026
- 3005-40028
- 3005-40030
- 3005-40032
- 3005-40034
- 3005-40036
- 3005-40038
- 3005-40040
- 3005-40042
- 3005-40044
- 3005-40046
- 3006-40016
- 3006-40018
- 3006-40020
- 3006-40022
- 3006-40024
- 3006-40026
- 3006-40028
- 3006-40030
- 3006-40032
- 3006-40034
- 3006-40036
- 3006-40038
- 3006-40040
- 3006-40042
- 3006-40044
- 3006-40046
- 3006-40048

 acumed[®]
Ankle Plating System 3




Acumed Small Fragment
Base Set Required



Acumed Variable Angle
Screw Compatible

Surgical Technique



Ordering Information [continued]

Tray Components

Implants

1	Hook Plate 2-Hole	7007-0602
2	Hook Plate 3-Hole	7007-0603
3	Locking Peg Hook Plate 2-Hole	7007-0702
4	Locking Peg Hook Plate 3-Hole	7007-0703
5	2.3 mm x 26 mm Locking Cortical Peg	3014-23026
6	2.3 mm x 36 mm Locking Cortical Peg	3014-23036
7	2.3 mm x 46 mm Locking Cortical Peg	3014-23046
8	4.0 mm x 36 mm Cannulated Screw, Long Thread	3006-40036
9	4.0 mm x 42 mm Cannulated Screw, Long Thread	3006-40042
10	4.0 mm x 48 mm Cannulated Screw, Long Thread	3006-40048
11	Cannulated Screw Washer 7.0 mm OD x 3.6 mm ID	7003-07036

Instruments

12	Hook Plate Reduction Handle Assembly	80-2317
13	1.5 mm Hex Driver Assembly	80-2335
14	2.0 mm Locking Drill Guide/2.3 mm Screws	80-2331
15	Syndesmosis Targeting Guide Assembly	80-2325

4.0 mm Cannulated Screw Instruments

16	1.3 mm Non-threaded Guide Wire, 150 mm	80-2039
17	2.5 mm Cannulated Hex Driver, Quick Connect	80-2073
18	2.7 mm Cannulated Drill, Quick Connect	80-2075
19	4.0/4.5 mm Screw Sizer	80-2080

Reference the Acumed Small Fragment Base Set Surgical Technique (TMA10-01) for the list of implants, instruments, and screws included within that set.

Ordering Information [continued]

Tray Components

1 4.0 mm Cannulated Screw Short Thread Caddy

4.0 mm x 14 mm Cannulated Screw, Short Thread	3005-40014	4.0 mm x 40 mm Cannulated Screw, Short Thread	3005-40040
4.0 mm x 16 mm Cannulated Screw, Short Thread	3005-40016	4.0 mm x 42 mm Cannulated Screw, Short Thread	3005-40042
4.0 mm x 18 mm Cannulated Screw, Short Thread	3005-40018	4.0 mm x 44 mm Cannulated Screw, Short Thread	3005-40044
4.0 mm x 20 mm Cannulated Screw, Short Thread	3005-40020	4.0 mm x 46 mm Cannulated Screw, Short Thread	3005-40046
4.0 mm x 22 mm Cannulated Screw, Short Thread	3005-40022	4.0 mm x 48 mm Cannulated Screw, Short Thread	3005-40048
4.0 mm x 24 mm Cannulated Screw, Short Thread	3005-40024	4.0 mm x 50 mm Cannulated Screw, Short Thread	3005-40050
4.0 mm x 26 mm Cannulated Screw, Short Thread	3005-40026	4.0 mm x 52 mm Cannulated Screw, Short Thread	3005-40052
4.0 mm x 28 mm Cannulated Screw, Short Thread	3005-40028	4.0 mm x 54 mm Cannulated Screw, Short Thread	3005-40054
4.0 mm x 30 mm Cannulated Screw, Short Thread	3005-40030	4.0 mm x 56 mm Cannulated Screw, Short Thread	3005-40056
4.0 mm x 32 mm Cannulated Screw, Short Thread	3005-40032	4.0 mm x 58 mm Cannulated Screw, Short Thread	3005-40058
4.0 mm x 34 mm Cannulated Screw, Short Thread	3005-40034	4.0 mm x 60 mm Cannulated Screw, Short Thread	3005-40060
4.0 mm x 36 mm Cannulated Screw, Short Thread	3005-40036	4.0 mm x 64 mm Cannulated Screw, Short Thread	3005-40064
4.0 mm x 38 mm Cannulated Screw, Short Thread	3005-40038	4.0 mm x 68 mm Cannulated Screw, Short Thread	3005-40068
		4.0 mm x 72 mm Cannulated Screw, Short Thread	3005-40072

Ordering Information [continued]

Tray Components

2 4.0 mm Cannulated Screw Long Thread Caddy


4.0 mm x 16 mm Cannulated Screw, Long Thread	3006-40016	4.0 mm x 42 mm Cannulated Screw, Long Thread	3006-40042
4.0 mm x 18 mm Cannulated Screw, Long Thread	3006-40018	4.0 mm x 44 mm Cannulated Screw, Long Thread	3006-40044
4.0 mm x 20 mm Cannulated Screw, Long Thread	3006-40020	4.0 mm x 46 mm Cannulated Screw, Long Thread	3006-40046
4.0 mm x 22 mm Cannulated Screw, Long Thread	3006-40022	4.0 mm x 48 mm Cannulated Screw, Long Thread	3006-40048
4.0 mm x 24 mm Cannulated Screw, Long Thread	3006-40024	4.0 mm x 50 mm Cannulated Screw, Long Thread	3006-40050
4.0 mm x 26 mm Cannulated Screw, Long Thread	3006-40026	4.0 mm x 52 mm Cannulated Screw, Long Thread	3006-40052
4.0 mm x 28 mm Cannulated Screw, Long Thread	3006-40028	4.0 mm x 54 mm Cannulated Screw, Long Thread	3006-40054
4.0 mm x 30 mm Cannulated Screw, Long Thread	3006-40030	4.0 mm x 56 mm Cannulated Screw, Long Thread	3006-40056
4.0 mm x 32 mm Cannulated Screw, Long Thread	3006-40032	4.0 mm x 58 mm Cannulated Screw, Long Thread	3006-40058
4.0 mm x 34 mm Cannulated Screw, Long Thread	3006-40034	4.0 mm x 60 mm Cannulated Screw, Long Thread	3006-40060
4.0 mm x 36 mm Cannulated Screw, Long Thread	3006-40036	4.0 mm x 64 mm Cannulated Screw, Long Thread	3006-40064
4.0 mm x 38 mm Cannulated Screw, Long Thread	3006-40038	4.0 mm x 68 mm Cannulated Screw, Long Thread	3006-40068
4.0 mm x 40 mm Cannulated Screw, Long Thread	3006-40040	4.0 mm x 72 mm Cannulated Screw, Long Thread	3006-40072

3 4.0 mm Washer

Cannulated Screw Washer 7.0 mm OD x 3.6 mm ID	7003-07036
--	------------

 acumed[®]
4.0 mm Cannulated Screw System

Surgical Technique



Ordering Information [continued]

4.0 mm Cannulated Screws

4.0 mm Cannulated Screw—Short Thread

1	4.0 mm Cannulated Screw Short Thread Caddy Assembly	80-3767	4.0 mm x 40 mm Cannulated Screw, Short Thread	3005-40040
	4.0 mm x 10 mm Cannulated Screw, Short Thread	3005-40010	4.0 mm x 42 mm Cannulated Screw, Short Thread	3005-40042
	4.0 mm x 12 mm Cannulated Screw, Short Thread	3005-40012	4.0 mm x 44 mm Cannulated Screw, Short Thread	3005-40044
	4.0 mm x 14 mm Cannulated Screw, Short Thread	3005-40014	4.0 mm x 46 mm Cannulated Screw, Short Thread	3005-40046
	4.0 mm x 16 mm Cannulated Screw, Short Thread	3005-40016	4.0 mm x 48 mm Cannulated Screw, Short Thread	3005-40048
	4.0 mm x 18 mm Cannulated Screw, Short Thread	3005-40018	4.0 mm x 50 mm Cannulated Screw, Short Thread	3005-40050
	4.0 mm x 20 mm Cannulated Screw, Short Thread	3005-40020	4.0 mm x 52 mm Cannulated Screw, Short Thread	3005-40052
	4.0 mm x 22 mm Cannulated Screw, Short Thread	3005-40022	4.0 mm x 54 mm Cannulated Screw, Short Thread	3005-40054
	4.0 mm x 24 mm Cannulated Screw, Short Thread	3005-40024	4.0 mm x 56 mm Cannulated Screw, Short Thread	3005-40056
	4.0 mm x 26 mm Cannulated Screw, Short Thread	3005-40026	4.0 mm x 58 mm Cannulated Screw, Short Thread	3005-40058
	4.0 mm x 28 mm Cannulated Screw, Short Thread	3005-40028	4.0 mm x 60 mm Cannulated Screw, Short Thread	3005-40060
	4.0 mm x 30 mm Cannulated Screw, Short Thread	3005-40030	4.0 mm x 64 mm Cannulated Screw, Short Thread	3005-40064
	4.0 mm x 32 mm Cannulated Screw, Short Thread	3005-40032	4.0 mm x 68 mm Cannulated Screw, Short Thread	3005-40068
	4.0 mm x 34 mm Cannulated Screw, Short Thread	3005-40034	4.0 mm x 72 mm Cannulated Screw, Short Thread	3005-40072
	4.0 mm x 36 mm Cannulated Screw, Short Thread	3005-40036		
	4.0 mm x 38 mm Cannulated Screw, Short Thread	3005-40038		

Ordering Information [continued]

4.0 mm Cannulated Screws

4.0 mm Cannulated Screw—Long Thread

2	4.0 mm Cannulated Screw Long Thread Caddy Assembly	80-3768	4.0 mm x 42 mm Cannulated Screw, Long Thread	3006-40042	
	4.0 mm x 16 mm Cannulated Screw, Long Thread	3006-40016	4.0 mm x 44 mm Cannulated Screw, Long Thread	3006-40044	
	4.0 mm x 18 mm Cannulated Screw, Long Thread	3006-40018	4.0 mm x 46 mm Cannulated Screw, Long Thread	3006-40046	
	4.0 mm x 20 mm Cannulated Screw, Long Thread	3006-40020	4.0 mm x 48 mm Cannulated Screw, Long Thread	3006-40048	
	4.0 mm x 22 mm Cannulated Screw, Long Thread	3006-40022	4.0 mm x 50 mm Cannulated Screw, Long Thread	3006-40050	
	4.0 mm x 24 mm Cannulated Screw, Long Thread	3006-40024	4.0 mm x 52 mm Cannulated Screw, Long Thread	3006-40052	
	4.0 mm x 26 mm Cannulated Screw, Long Thread	3006-40026	4.0 mm x 54 mm Cannulated Screw, Long Thread	3006-40054	
	4.0 mm x 28 mm Cannulated Screw, Long Thread	3006-40028	4.0 mm x 56 mm Cannulated Screw, Long Thread	3006-40056	
	4.0 mm x 30 mm Cannulated Screw, Long Thread	3006-40030	4.0 mm x 58 mm Cannulated Screw, Long Thread	3006-40058	
	4.0 mm x 32 mm Cannulated Screw, Long Thread	3006-40032	4.0 mm x 60 mm Cannulated Screw, Long Thread	3006-40060	
	4.0 mm x 34 mm Cannulated Screw, Long Thread	3006-40034	4.0 mm x 64 mm Cannulated Screw, Long Thread	3006-40064	
	4.0 mm x 36 mm Cannulated Screw, Long Thread	3006-40036	4.0 mm x 68 mm Cannulated Screw, Long Thread	3006-40068	
	4.0 mm x 38 mm Cannulated Screw, Long Thread	3006-40038	4.0 mm x 72 mm Cannulated Screw, Long Thread	3006-40072	
	4.0 mm x 40 mm Cannulated Screw, Long Thread	3006-40040	3	4.0 mm Cannulated Screw Tray	80-3695

Optional

Implants

Cannulated Screw Washer 7.0 mm OD x 3.6 mm ID	7003-07036
---	------------