

Item Catalogue

NUPCO CODE: 4229421933900 | SN: 846

NUPCO ITEM DESCRIPTION

PLATE, LOCKING COMPRESSION FOR CALCANEAL, 3.5MM OR EQUIVALENT, ASSORTED SIZES

VENDOR PRODUCT DESCRIPTION

Acumed Locking Calcaneal Plates

SKU CODES INCLUDED FOR THIS NUPCO CODE

- 70-0022
- 70-0023
- 70-0024
- 70-0025
- 70-0026
- 70-0027

Ordering Information

Calcaneal Plating System*

Locking Calcaneal Plate, Small, Left	70-0022
Locking Calcaneal Plate, Small, Right	70-0023
Locking Calcaneal Plate, Medium, Left	70-0024
Locking Calcaneal Plate, Medium, Right	70-0025
Locking Calcaneal Plate, Large, Left	70-0026
Locking Calcaneal Plate, Large, Right	70-0027
Anterior Process Calcaneal Plate, Medium, Left	70-0386
Anterior Process Calcaneal Plate, Medium, Right	70-0387
Anterior Process Calcaneal Plate, Large, Left	70-0388
Anterior Process Calcaneal Plate, Large, Right	70-0389
Posterior Tuberosity Calcaneal Plate, 5 Hole, Left	70-0394
Posterior Tuberosity Calcaneal Plate, 5 Hole, Right	70-0395
Posterior Tuberosity Calcaneal Plate, 6 Hole, Left	70-0396
Posterior Tuberosity Calcaneal Plate, 6 Hole, Right	70-0397
Combo Calcaneal Plate, Medium, 8 Hole, Left	70-0400
Combo Calcaneal Plate, Medium, 8 Hole, Right	70-0401
Combo Calcaneal Plate, Large, 8 Hole, Left	70-0404
Combo Calcaneal Plate, Large, 8 Hole, Right	70-0405
Combo Calcaneal Plate, Large, 9 Hole, Left	70-0406
Combo Calcaneal Plate, Large, 9 Hole, Right	70-0407

Instrumentation

4.0 mm Steinmann Pin, Smooth	35-0002
5.0 mm Steinmann Pin, Smooth	35-0003

Tray Component

Calcaneal Plating System Tray	80-0744
Lower Extremity Tray Lid	80-0431

*Plates are also available sterile-packed. Add -S to product number for sterile-packed product.

To learn more about the full line of Acumed® innovative surgical solutions, including the Calcaneal Plating System, please contact your local Acumed® Sales Representative or call 888-627-9957.

References

1. Schepers, T. (2011). "The sinus tarsi approach in displaced intra-articular calcaneal fractures: a systematic review." International Orthopaedics: 1-7.