

Item Catalogue

NUPCO CODE: 4232150026600 | SN: 986

NUPCO ITEM DESCRIPTION

SCREW, CANNULATED PARTIAL THREADED SELF-DRILLING 5.0 - 6.0 MM TITANIUM ASSORTED TYPES AND LENGTHS AS REQUESTED BY END USER

VENDOR PRODUCT DESCRIPTION

OsteoMed ExtremiFix midsize cannulated headed screws

SKU CODES INCLUDED FOR THIS NUPCO CODE

- 319-5520
- 319-5522
- 319-5524
- 319-5526
- 319-5528
- 319-5530
- 319-5532
- 319-5534
- 319-5536
- 319-5538
- 319-5540
- 319-5542
- 319-5544
- 319-5546
- 319-5548
- 319-5550
- 319-5555
- 319-5560
- 319-5565
- 319-5570
- 319-5575
- 319-5580
- 319-5541
- 319-5543
- 319-5545
- 319-5547
- 319-5549
- 319-5551
- 319-5556
- 319-5561
- 319-5566
- 319-5571
- 319-5576
- 319-5581

Ordering Information

Midsize Implants



5.5 mm Headless Short Thread Screws

317-5520	5.5 x 20 mm Cannulated Headless Compression Screw, Short Thread
317-5522	5.5 x 22 mm Cannulated Headless Compression Screw, Short Thread
317-5524	5.5 x 24 mm Cannulated Headless Compression Screw, Short Thread
317-5526	5.5 x 26 mm Cannulated Headless Compression Screw, Short Thread
317-5528	5.5 x 28 mm Cannulated Headless Compression Screw, Short Thread
317-5530	5.5 x 30 mm Cannulated Headless Compression Screw, Short Thread
317-5532	5.5 x 32 mm Cannulated Headless Compression Screw, Short Thread
317-5534	5.5 x 34 mm Cannulated Headless Compression Screw, Short Thread
317-5536	5.5 x 36 mm Cannulated Headless Compression Screw, Short Thread
317-5538	5.5 x 38 mm Cannulated Headless Compression Screw, Short Thread
317-5540	5.5 x 40 mm Cannulated Headless Compression Screw, Short Thread
317-5542	5.5 x 42 mm Cannulated Headless Compression Screw, Short Thread
317-5544	5.5 x 44 mm Cannulated Headless Compression Screw, Short Thread
317-5546	5.5 x 46 mm Cannulated Headless Compression Screw, Short Thread
317-5548	5.5 x 48 mm Cannulated Headless Compression Screw, Short Thread
317-5550	5.5 x 50 mm Cannulated Headless Compression Screw, Short Thread
317-5555	5.5 x 55 mm Cannulated Headless Compression Screw, Short Thread
317-5560	5.5 x 60 mm Cannulated Headless Compression Screw, Short Thread
317-5565	5.5 x 65 mm Cannulated Headless Compression Screw, Short Thread
317-5570	5.5 x 70 mm Cannulated Headless Compression Screw, Short Thread
317-5575	5.5 x 75 mm Cannulated Headless Compression Screw, Short Thread
317-5580	5.5 x 80 mm Cannulated Headless Compression Screw, Short Thread



5.5 mm Headless Long Thread Screws

317-5541	5.5 x 40 mm Cannulated Headless Compression Screw, Long Thread
317-5543	5.5 x 42 mm Cannulated Headless Compression Screw, Long Thread
317-5545	5.5 x 44 mm Cannulated Headless Compression Screw, Long Thread
317-5547	5.5 x 46 mm Cannulated Headless Compression Screw, Long Thread
317-5549	5.5 x 48 mm Cannulated Headless Compression Screw, Long Thread
317-5551	5.5 x 50 mm Cannulated Headless Compression Screw, Long Thread
317-5556	5.5 x 55 mm Cannulated Headless Compression Screw, Long Thread
317-5561	5.5 x 60 mm Cannulated Headless Compression Screw, Long Thread
317-5566	5.5 x 65 mm Cannulated Headless Compression Screw, Long Thread
317-5571	5.5 x 70 mm Cannulated Headless Compression Screw, Long Thread
317-5576	5.5 x 75 mm Cannulated Headless Compression Screw, Long Thread
317-5581	5.5 x 80 mm Cannulated Headless Compression Screw, Long Thread



5.5 mm Headed Short Thread Screws

319-5520	5.5 x 20 mm Cannulated Headed Screw, Short Thread
319-5522	5.5 x 22 mm Cannulated Headed Screw, Short Thread
319-5524	5.5 x 24 mm Cannulated Headed Screw, Short Thread
319-5526	5.5 x 26 mm Cannulated Headed Screw, Short Thread
319-5528	5.5 x 28 mm Cannulated Headed Screw, Short Thread
319-5530	5.5 x 30 mm Cannulated Headed Screw, Short Thread
319-5532	5.5 x 32 mm Cannulated Headed Screw, Short Thread
319-5534	5.5 x 34 mm Cannulated Headed Screw, Short Thread
319-5536	5.5 x 36 mm Cannulated Headed Screw, Short Thread
319-5538	5.5 x 38 mm Cannulated Headed Screw, Short Thread
319-5540	5.5 x 40 mm Cannulated Headed Screw, Short Thread
319-5542	5.5 x 42 mm Cannulated Headed Screw, Short Thread
319-5544	5.5 x 44 mm Cannulated Headed Screw, Short Thread
319-5546	5.5 x 46 mm Cannulated Headed Screw, Short Thread
319-5548	5.5 x 48 mm Cannulated Headed Screw, Short Thread
319-5550	5.5 x 50 mm Cannulated Headed Screw, Short Thread
319-5555	5.5 x 55 mm Cannulated Headed Screw, Short Thread
319-5560	5.5 x 60 mm Cannulated Headed Screw, Short Thread
319-5565	5.5 x 65 mm Cannulated Headed Screw, Short Thread
319-5570	5.5 x 70 mm Cannulated Headed Screw, Short Thread
319-5575	5.5 x 75 mm Cannulated Headed Screw, Short Thread
319-5580	5.5 x 80 mm Cannulated Headed Screw, Short Thread



5.5 mm Headed Long Thread Screws

319-5541	5.5 x 40 mm Cannulated Headed Screw, Long Thread
319-5543	5.5 x 42 mm Cannulated Headed Screw, Long Thread
319-5545	5.5 x 44 mm Cannulated Headed Screw, Long Thread
319-5547	5.5 x 46 mm Cannulated Headed Screw, Long Thread
319-5549	5.5 x 48 mm Cannulated Headed Screw, Long Thread
319-5551	5.5 x 50 mm Cannulated Headed Screw, Long Thread
319-5556	5.5 x 55 mm Cannulated Headed Screw, Long Thread
319-5561	5.5 x 60 mm Cannulated Headed Screw, Long Thread
319-5566	5.5 x 65 mm Cannulated Headed Screw, Long Thread
319-5571	5.5 x 70 mm Cannulated Headed Screw, Long Thread
319-5576	5.5 x 75 mm Cannulated Headed Screw, Long Thread
319-5581	5.5 x 80 mm Cannulated Headed Screw, Long Thread



Washer

316-0326 5.5 mm Screw Washer

Ordering Information

Midsize Instrumentation

316-1805 ExtremiFix Midsize, 4.5mm/5.5mm Drill and Driver Organizer (Open View)



